

COVER LETTER

[Yuliusman]
 [Chemical Engineering, Universitas Indonesia]
 [usman@che.ac.id]
 [087877122689]

[03 July 2025]

Dear,

We wish to submit an original research article entitled “**Technology Development of NiO-Modified Activated Carbon from Polyethylene Terephthalate (PET) Bottle Waste for Adsorbed Natural Gas (ANG) Storage**” for consideration by SINERGI.

We confirm that this work is original and has not been published elsewhere, nor is it currently under consideration for publication elsewhere. We promise not to withdraw this article after it has been processed by the Editorial Team. If there is a withdrawal, we are willing to pay a penalty of USD 150 (IDR 2000K) to the SINERGI Editorial Team.

In this paper, I/we report on / show that:

Field	:	Chemical Engineering
Topic	:	Activated Carbon from PET Waste for ANG (Adsorbed Natural Gas)
Brief Background	:	Indonesia's rising energy demand highlights the need for cleaner alternatives like natural gas. Adsorbed Natural Gas (ANG) offers a safer, low-pressure storage method using porous adsorbents such as activated carbon. PET plastic waste, rich in carbon, presents a sustainable precursor for activated carbon production. This study investigates converting PET waste into NiO-modified activated carbon via carbonization, KOH activation, N ₂ treatment, and Ni(NO ₃) ₂ ·6H ₂ O impregnation. The goal is to develop a low-cost, efficient ANG adsorbent while promoting plastic waste valorization.
Research Problem	:	This research investigates how the production process of activated carbon using chemical activation with KOH and physical activation with N ₂ influences its surface area. It also examines the effect of Ni(NO ₃) ₂ ·6H ₂ O metal impregnation on the methane adsorption capacity of the activated carbon. Furthermore, the study explores how variations in natural gas pressure and storage gas pressure and storage

SINERGI

Universitas Mercu Buana

p-ISSN: 1410-2331; e-ISSN: 2460-1217


<http://publikasi.mercubuana.ac.id/index.php/sinerigi>

		temperature impact the overall methane adsorption performance of the material in Adsorbed Natural Gas (ANG) applications.
Overview of Method	:	This study synthesizes NiO-modified activated carbon from PET waste for ANG applications through a two-step process: carbonization at 480 °C, chemical activation with 4 M KOH, physical activation under N ₂ flow at 800 °C, and impregnation with Ni(NO ₃) ₂ ·6H ₂ O at varying concentrations (0.5–2%). The samples are characterized using iodine number tests, SEM, and EDS. Methane adsorption–desorption performance is evaluated volumetrically at pressures of 3–9 bar and temperatures of 28–35 °C to assess their suitability as ANG adsorbents.
Significant finding	:	This study successfully produced granular activated carbon from PET plastic waste with a high surface area, making it suitable for gas storage applications. The research also generated important data on the adsorption and desorption capacities of methane under various conditions relevant to Adsorbed Natural Gas (ANG) technology, highlighting the material's potential as an efficient and sustainable solution for clean energy storage.

We have no conflicts of interest to disclose.

Thank you for your consideration of this manuscript.

Sincerely,
[Yuliusman]



AUTHORSHIP STATEMENT

I/We wish to submit an original research article entitled “[*title of article*]” for consideration by SINERGI.

All persons who meet authorship criteria are listed as authors, and all authors certify that they have participated sufficiently in work to take public responsibility for the content, including participation in the concept, design, analysis, writing, or revision of the manuscript.

Author 1		
Name	:	Yuliusman
Affiliation	:	Departemen Teknik Kimia FTUI
Email Address	:	Usman@che.ui.ac.id
Author 2		
Name	:	Athaya Khanza Kamilia
Affiliation	:	Departemen Teknik Kimia FTUI
Email Address	:	Athaya.khanza@ui.ac.id
Author 3		
Name	:	Anggi Nugroho Utomo
Affiliation	:	Departemen Teknik Kimia FTUI
Email Address	:	Anggi.nugroho@ui.ac.id
Author 4		
Name	:	Nasruddin
Affiliation	:	Departemen Teknik Mesin FTUI
Email Address	:	Nasruddin@eng.ui.ac.id

POTENTIAL REVIEWERS

Please send 3 (three) prospective reviewers (who are not yet registered in SINERGI) to speed up the review process who are competent for the topic and have a good reputation in the field. Please ensure that **they are willing to review** this paper.

Reviewer 1	:	
Name	:	Prof. Dr. Awaludin Martin
Affiliation	:	Mechanical Engineering Riau University
Email Address	:	awaludinmartin01@gmail.com
Scopus url	:	https://www.scopus.com/authid/detail.uri?authorId=56325833900
Google Scholar url	:	https://scholar.google.com/citations?user=uqm7400AAAAJ&hl=id
Reviewer 2	:	
Name	:	Dr. Darwin Rio Budi Syaka, ST., MT
Affiliation	:	program studi S1 teknik mesin, universitas negeri jakarta
Email Address	:	drbsyaka@unj.ac.id
Scopus url	:	https://www.scopus.com/authid/detail.uri?authorId=53980675500
Google Scholar url	:	https://scholar.google.co.id/citations?user=ruVqW7AAAAAJ&hl=id
Reviewer 3	:	
Name	:	Arnas Lubis
Affiliation	:	Departemen Teknik Mesin FTUI
Email Address	:	arnas@eng.ui.ac.id
Scopus url	:	https://www.scopus.com/authid/detail.uri?authorId=55835712700
Google Scholar url	:	https://scholar.google.co.id/citations?hl=id&user=Zojxh8gAAAAJ